Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13	(("4819339") or ("4962591") or ("6112423") or ("4523450") or ("6067165") or ("DE29618726")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 09:45
S2	24	(("3417475") or ("4364182") or ("4523450") or ("4932136") or ("4962591") or ("5187874") or ("5647136") or ("5671541") or ("6023850")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 09:11
S3	189	(33/502).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 13:02
S4	570	(33/503).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 16:42
S5	304	(33/567).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 13:38
S6	60	(33/567.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 14:48
S7	202	(73/1.01).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 14:57
S8	183	(73/1.79).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/12 15:04

S80		(("5716045") or ("4016784")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 13:22
S81	1	jp-60127958-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:23
S82	2	jp-09155693-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/06 13:24
S83	16	("3143041"   "3524130"   "3704641").PN. OR ("4016784"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 13:40
584	4	("3524130").URPN.	USPAT	OR	ON	2006/10/06 13:45
S85	45	("0503726"   "0977474"   "0996884"   "1947885"   "2342700"   "2409921"   "2852049"   "2862410"   "2997317"   "3379229"   "3484830"   "3865095"   "4013280"   "4028988"   "4206910"   "4793604"   "4930221"   "4965943"   "5018562"   "5063983"   "5097601"   "5109742"   "5195730"   "5215296"   "5275074"   "5353515"   "5423360").PN. OR ("5716045").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 13:46
S86	44	("3795054"   "4096770"   "4364182").PN. OR ("4437151"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 13:56
S87	59	(33/501.18).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 13:58
S88	443	thibaut.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:58

				·		
S89	37	thibaut.in. and tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:58
S90	5	("3802087"   "3897656"   "4602459"   "5239782").PN. OR ("5343626").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 14:05
S91	3	("5239782").URPN.	USPAT	OR	ON	2006/10/06 14:08
S92	9	spindle and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:16
S93	144	spindle and measure and yoke and detectors and slide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:02
S94	2	spindle and measure and yoke and detectors and slide and "33"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:17
S95	31	("2563910"   "3096590"   "3263163"   "3281665"   "3522524"   "3534482"   "3712130"   "3800423"   "3851398"   "3900720"   "3900794"   "3945126"   "3950858"   "4056774"   "4070762"   "4079313"   "4080568"   "4110677"   "4181958"   "4184263"   "4192321").PN. OR ("4321753"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 14:21
S96	19	("3522524"   "3741659").PN. OR ("3950858").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 14:27
S97	. 12	("2906030"   "2938275"   "3572207"   "3950858"   "4276699").PN. OR ("4519241"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 14:34

	r		- <del></del>	Υ	· · · · · · · · · · · · · · · · · · ·	
598	288	micrometric and (perpendicular or (x and y)) and tool	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:36
S99	38	micrometric and (perpendicular or (x and y)) and tool and S96/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:37
S10 0	3	micrometric and (perpendicular or (x and y)) and tool and (detector probe) and S96/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:39
S10 1	21	micrometric and (perpendicular or (x and y)) and tool and (detector probe) and slide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:42
S10 2	16862	(perpendicular or (x and y)) and tool and (detector probe) and slide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:43
S10 3	1699	(perpendicular or (x and y)) and tool and (detector probe) and slide and spindle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:43
S10 4	1078	(perpendicular or (x and y)) and tool and (detector probe) and slide and spindle and measure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:43

S10 5	357	(perpendicular or (x and y)) and tool and (detector probe) and slide and spindle and measure and horizontal and vertical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:53
S10 6	1	(perpendicular or (x and y)) and tool and (detector probe) and slide and spindle and measure and horizontal and vertical and micrometric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:44
S10 7	242	(perpendicular or (x and y)) and tool and (detector probe) and slide and spindle and measure and horizontal and vertical and diameter and length	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:04
S10 8	50	(perpendicular or (x and y)) and tool and (detector probe) and slide and spindle and measure and horizontal and vertical and diameter and length and elastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 14:54
S10 9	40	("4372721"   "4477973"   "4676002"   "4703443"   "4888877"   "5148377"   "5189797"   "5218769"   "5341574"   "5489168"   "5552886"   "5587937"   "5611147"   "5768792"   "5794356"   "5798828"   "5829148"   "5862604"   "5870834"   "5880714"   "5909939"   "5978748"   "5979238"   "6098295"   "6134506"   "6279248"   "6519860"   "6523268").PN. OR ("6668466"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 14:57

S11 0	49	("3240624"   "3892339"   "4075301"   "4094852"   "4187339"   "4237606"   "4291642"   "4402135"   "4557860"   "4564410"   "4568592"   "4652398"   "4694138"   "4696764"   "4720914"   "4743465"   "4748068"   "4749347"   "4755123"   "4775573"   "4818437"   "4842504"   "4872417"   "4874548"   "4911629"   "4913638"   "4946356"   "4952364"   "4961965"   "Re30274").PN. OR ("5099090"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 15:00
S11 1	14	spindle and measure and yoke and lvdt and slide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:02
S11 2	30	(perpendicular or (x and y)) and tool and (lvdt) and slide and spindle and measure and horizontal and vertical and diameter and length	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:04
S11 3	5	("3670421"   "4083272").PN. OR ("4142296").URPN.	US-PGPUB; USPAT; USOCR	OR	ON .	2006/10/06 15:09
S11 4	1	lvdt and "I59"	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 15:09
S11 5	1	lvdt and "l59"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:11
S11 6	800	(33/503).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 15:12

S11 7	466	x and y and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:12
S11 8	115	x and y and length and diameter and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:12
S11 9	60	x and y and length and diameter and tool and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:13
S12 0	20	("3492467"   "3684874"   "3839800"   "3866829"   "4541054"   "4642902"   "4807152"   "4879664"   "4942611"   "5204824").PN. OR ("5309646"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 15:20
S12 1	1358	(33/1m).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 15:39
S12 2	0	("toolandprobeandlengthanddiamet erandl58").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 15:22
S12 3	11	tool and probe and length and diameter and S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:23
S12 4	6	tool and probe and length and diameter and transducer and S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:25

_	<del>_</del>			τ	T	<del></del>
S12 5	2	("4,959,542").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 15:25
S12 6	. 6	tool and probes and length and diameter and transducer and S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/06 15:25
S12 7	2	"728417".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:40
S12 8	2	("6438817").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 15:41
S12 9	2	("6438857").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 15:41
S13 0	10	("3279079"   "3774311"   "3823482"   "4895454"   "5130523"   "5134782"   "5173613"   "5402981").PN. OR ("6438857"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/06 15:42
S13 1	19	("3279079").URPN.	USPAT	OR	ON	2006/10/06 15:43